




# BEARING CORP.OF CANADA LTD.



High quality SKF 6309 6310 6311 6312 6313  
6314 6315 6316 6317 Deep Groove Ball Bearing  
SKF Bearings

Bearing No. 6309

6309 Bearing 2D drawings and 3D CAD models

Size	100x45x25 mm
Bore Diameter	100 mm
Outer Diameter	45 mm
Width	25 mm
d	45 mm
D	100 mm
B	25 mm
d <sub>1</sub>	62.18 mm
D <sub>2</sub>	86.7 mm
r <sub>1,2</sub> - min.	1.5 mm
d <sub>a</sub> - min.	54 mm
D <sub>a</sub> - max.	91 mm
r <sub>a</sub> - max.	1.5 mm
Basic dynamic load rating - C	55.3 kN
Basic static load rating - C <sub>0</sub>	31.5 kN
Fatigue load limit - P <sub>u</sub>	1.3 kN
Reference speed	15000 r/min
Limiting speed	9500 r/min
Calculation factor - k <sub>r</sub>	0.03
Calculation factor - f <sub>0</sub>	13
Category	Single Row Ball Bearings
Inventory	3.0
Manufacturer Name	SKF



## BEARING CORP.OF CANADA LTD.

Minimum Buy Quantity	N/A
Weight / Kilogram	0.83
EAN	7316577062000
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	45MM Bore; 100MM Outside Diameter; 25MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	6309
Weight / LBS	1.83
Outside Diameter	3.937 Inch   100 Millimeter
Outer Race Width	0.984 Inch   25 Millimeter
Bore	1.772 Inch   45 Millimeter
d <sub>1</sub>	62.18 mm
D <sub>2</sub>	86.7 mm



## BEARING CORP.OF CANADA LTD.

$r_{1,2}$ min.	1.5 mm
$d_a$ min.	54 mm
$D_a$ max.	91 mm
$r_a$ max.	1.5 mm
Basic dynamic load rating C	55.3 kN
Basic static load rating $C_0$	31.5 kN
Fatigue load limit $P_u$	1.34 kN
Calculation factor $k_r$	0.03
Calculation factor $f_0$	13
Mass bearing	0.83 kg